

	Ref #	Type	Hits	Search Text	DBs
1	S1	IS&R	6409	(335/216,296-299,302-306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S2	BRS	842266	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	S3	BRS	42797	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
4	S4	BRS	86	S2 with S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
5	S5	BRS	10143	superconducting near2 magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	S6	BRS	19	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
7	S7	BRS	10471	liquid near2 helium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
8	S8	BRS	1850340	valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S9	BRS	923	S7 same S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	S10	BRS	2	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S11	BRS	175	S5 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S12	BRS	2	S4 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	S13	BRS	14306	(superconduct\$3 or (super adj conduct\$3) or super-conduct\$3) near3 magnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	S14	BRS	446	(liquid adj helium) with (valve or regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S15	BRS	44	S13 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	S16	BRS	9	("3839689" "4689439" "5220800") .PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
17	S17	BRS	4	S16 and (liquid adj helium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S18	BRS	3	S16 and (valve or regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	S19	BRS	842565	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
20	S20	BRS	42810	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
21	S21	BRS	86	S19 with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
22	S22	BRS	13	S21 same connector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB